

FHC GLASS CLAMPS

FHC Adjustable Glass-To-Glass Clamps

For Fixed Panels

ITEM NO. CADJ180

ITEM NO. CADJSQ180

ITEM NO. CADJBV180

SPECIFICATIONS

Glass Sizes: 5/16" (8mm) to 1/2" (12 mm) Tempered Glass Only



Construction: Solid Brass

Includes: Clamp body, glazing gaskets, and screws.


Use: Residential Bath and Commercial Hotel Applications

The CADJ180 Adjustable Glass-to-Glass Clamp for Fixed Panel is designed for use in connecting two pieces of glass that join together at a non-traditional angle. Use the table on the right to address hole dimensions for each of the two pieces of glass, evenly dividing the angle and having the same miters on each piece of glass.

* To determine the correct miter to use on each piece, use the following Formula: 180 minus "A" divided by 2 = your miter ("A" = your angle)
 Example: the angle is 150 degrees. 180 - 150 = 30. 30/2 = 15 degree miter on each piece of glass.



FRONT VIEW



BACK VIEW

ANGLE	DIMENSIONS FROM LONG POINT OF MITER TO CENTER OF 7/8" (22 mm) DIAMETER
90 - 95 Degrees	1-7/8" (48 mm)
96 - 100 Degrees	1-3/4" (44 mm)
101 - 105 Degrees	1-11/16" (43 mm)
106 - 110 Degrees	1-5/8" (41 mm)
111 - 115 Degrees	1-5/8" (41 mm)
116 - 120 Degrees	1-5/8" (41 mm)
121 - 125 Degrees	1-9/16" (40 mm)
126 - 130 Degrees	1-1/2" (38 mm)
131 - 135 Degrees	1-1/2" (38 mm)
136 - 140 Degrees	1-7/16" (37 mm)
141 - 145 Degrees	1-3/8" (35 mm)
146 - 150 Degrees	1-3/8" (35 mm)
151 - 155 Degrees	1-5/16" (33 mm)
156 - 160 Degrees	1-5/16" (33 mm)
161 - 165 Degrees	1-5/16" (33 mm)
166 - 170 Degrees	1-1/4" (32 mm)
171 - 175 Degrees	1-1/4" (32 mm)
176 - 180 Degrees	1-3/16" (30 mm)

NOTE: All dimensions above already provide for A 1/16" (1.5 mm) Clearance between the two pieces of glass.